

### **BRUSHES**





#### ANZA X2T RADIATOR BRUSH

X2T radiator brushes are the part of the paint brush range that is specially developed for **high viscosity and high build** coatings, and passive fire protection products. They are also the best choice for **low viscosity primers, topcoats and antifouling**. Thicker ferrule, gives great spreading rate and capacity. Unique HiCap filaments in polyester blend provides an even coverage and smooth surface. No fiber loss. Tested and recommended by Jotun for *Jotamastic Smart Pack HB*, *Barrier Smart Pack and Hardtop One*.

100500	7777335	35	10	7311490042832	
100501	7777350	50	10	7311490042849	
100502	7777370	70	10	7311490042856	



#### ANZA X2T ANGLED BRUSH

X2T radiator brushes are the part of the paint brush range that is specially developed for **high viscosity and high build** coatings, and passive fire protection products. They are also the best choice for **low viscosity primers, topcoats and antifouling.** Thicker ferrule, gives great spreading rate and capacity. Unique HiCap filaments in polyester blend provides an even coverage and smooth surface. No fiber loss. Tested and recommended by Jotun for *Jotamastic Smart Pack HB*, *Barrier Smart Pack and Hardtop One*.

100515	7777450	50	10	7311490042986	
100516	7777470	70	10	7311490042993	



#### ANZA X2 FLAT BRUSH

X2 flat brushes are the part of the paint brush range developed for all protective and maritime coatings. Well suited in both low and high viscosity and the unique Hicap blend provides smooth finish with very good coverage. No fiber loss. Tested and recommended by Jotun for *Jotamastic Smart Pack HB, Barrier Smart Pack and Hardtop One*.

100503	7777125	25	10	7311490042863	
100504	7777135	35	10	7311490042870	
100505	7777150	50	10	7311490042887	
100506	7777170	70	10	7311490042894	
100507	7777100	100	10	7311490042900	



## ANZA X2 RADIATOR BRUSH

X2 radiator brushes are the part of the paint brush range with bendable ferrule. Suited for all coatings but especially good for low viscosity coatings. Unique HiCap filaments in polyester blend provides an even coverage and smooth surface. For smaller jobs. No fiber loss. Tested and recommended by Jotun for *Barrier Smart Pack and Hardtop One*.

100508	7777225	25 10	7311490042917	
100509	7777235	35 10	7311490042924	
100510	7777250	50 10	7311490042931	
100511	7777270	70 10	7311490042948	



## ANZA X2 ROUND BRUSH

X2 round brushes are the part of the brush range especially suited for painting of profiles and stripe coating. Unique HiCap filaments in polyester blend together with the round shape, provides especially god coverage on edges and good finish. No fiber loss. Tested and recommended by Jotun for *Jotamastic Smart Pack HB, Barrier Smart Pack and Hardtop One*.

100512	7788030	30	10	7311490042955	
100513	7788040	40	10	7311490042962	
100514	7788050	50	10	7311490042979	

## **ROLLERS**

International art. no.	Norwegian art. no.	Size	Width	Oty/ pack	Barcode
ai t. 110.	ai t. 110.		CIII	pack	



#### ANZA X6 PA NOLOSS

X6 PA NoLoss is a polyamide roller range for **high viscosity and high build** coatings and passive fire protection products. Pile height 13 mm. Specially processed in finish line for high pick-up and release capacity, and high spreading rate. Provides an even coverage without holidays and no fiber loss. Tested and recommended by Jotun for *Jotamastic Smart Pack HB*.

400501	8880110	Mini	10	5	7311490043037	
400505	8880115	Mini	15	5	7311490043075	
400503	8880118	Maxi	18	5	7311490043051	
400508	8880025	Maxi	25	5	7311490046373	



#### ANZA X3 SUPERIOR HIGHCAP FELT

X3 Superior HiCap Felt is a polyester roller range for **low viscosity primers, topcoats and antifouling**. Pile height 7 mm. Specially processed in finish line for high pick-up and release capacity, and high spreading rate. Provides a smooth surface with even coverage without holidays and no fiber loss. Tested and recommended by Jotun for *Barrier Smart Pack and Hardtop One*.

400500	8880010	Mini	10	5	7311490043020	
400504	8880015	Mini	15	5	7311490043068	
400506	8880210	Midi	10	5	7311490043242	
400502	8880018	Maxi	18	5	7311490043044	
400507	8880225	Maxi	25	5	7311490046366	

## **FRAMES**

International art. no.	Norwegian art. no.	Size	Width cm	Qty/ pack	Bar code
------------------------	--------------------	------	-------------	--------------	----------



#### ANZA MINI FRAME

Steel wire with plastic handle compatible with taper-fit and click-lock extension poles. For all mini and midi rollers.

600500	8870111	Short	10	5	7311490043006	
600502	8870112	Medium	10	5	7311490043266	



### ANZA MAXI FRAME

Steel wire with plastic handle compatible with taper-fit and click-lock extension poles. For maxi rollers.

600501	8870211	18	5	7311490043013	
600503	8870125	25	5	7311490046359	

# **WEB**

www.anzacoatings.com



WEB: WWW.ANZACOATINGS.COM

